

A composite image of Earth from space. The left side shows swirling white and grey cloud patterns over a dark blue ocean. The right side shows a dense, glowing orange and yellow pattern of city lights at night, with a bright orange glow along the horizon. The overall image is set against a dark, starry space background.

AN ANTHOLOGY OF GLOBAL RISK

EDITED BY
SJ BEARD AND TOM HOBSON



<https://www.openbookpublishers.com>

©2024 SJ Beard and Tom Hobson

Copyright of individual chapters is maintained by the chapter's authors



This work is licensed under an Attribution-NonCommercial 4.0 International (CC BY-NC 4.0). This license allows you to share, copy, distribute and transmit the text; to adapt the text for non-commercial purposes of the text providing attribution is made to the authors (but not in any way that suggests that they endorse you or your use of the work). Attribution should include the following information:

SJ Beard and Tom Hobson (eds), *An Anthology of Global Risk*. Cambridge, UK: Open Book Publishers, 2024, <https://doi.org/10.11647/OBP.0360>

Copyright and permissions for the reuse of many of the images included in this publication differ from the above. This information is provided in the captions and in the list of illustrations. Every effort has been made to identify and contact copyright holders and any omission or error will be corrected if notification is made to the publisher.

Further details about CC BY-NC licenses are available at <http://creativecommons.org/licenses/by-nc/4.0/>

All external links were active at the time of publication unless otherwise stated and have been archived via the Internet Archive Wayback Machine at <https://archive.org/web>

Digital material and resources associated with this volume are available at <https://doi.org/10.11647/OBP.0360#resources>

ISBN Paperback: 978-1-80511-114-6

ISBN Hardback: 978-1-80511-115-3

ISBN Digital (PDF): 978-1-80511-116-0

ISBN Digital eBook (EPUB): 978-1-80511-117-7

ISBN XML: 978-1-80511-119-1

ISBN HTML: 978-1-80511-120-7

DOI: 10.11647/OBP.0360

Cover image: Javier Miranda, Alien planet, June 18, 2022, <https://unsplash.com/photos/nc1zsYGkLFA>

Cover design: Jeevanjot Kaur Nagpal

7. Scanning Horizons in Research, Policy and Practice

*Bonnie C. Wintle, Mahlo N. C. Kennicutt II and
William J. Sutherland*

Highlights:

- Horizon scanning involves crowdsourcing information and drawing on communities of practice to sort, verify and analyse that information in order to look for early indications of poorly recognised threats and opportunities.
- “Exploratory” horizon scanning identifies novel issues by searching for the first signals of change, while “issue-centred” scanning monitors issues that have already been identified by searching for additional signals to confirm their emergence.
- The chapter assesses a range of horizon-scanning approaches and implementations, both manual and semi-automated, in relation to scope selection, input gathering, data sorting, cataloguing and clustering, result analysis and prioritisation, output utilisation, and process evaluation.
- If using manual approaches, structured methods are essential to mitigate biases that human horizon scanners are prone to. Manual approaches can be further improved by making the search for issues systematic. Semi-automated tools and AI will increasingly enable searches uninfluenced by the biases of the manual searcher.

- Horizon scanning is most effective as an aid to policy-making when it is incorporated by organisations and decision-makers into the policy design process. There are a range of frameworks that can help translate scanning outputs into policy, such as road mapping.

This chapter surveys the development of horizon scanning within the conservation research community and its spread to other fields, including Existential Risk Studies. Since 2017, CSER has produced a range of horizon scans using some of the techniques described here and our researchers continue to work on developing them. Examples of the research undertaken within the field are discussed in more detail in Chapters 15 and 16 of this volume.

1. Introduction

Conservationists have long had to deal with a number of prominent, recurring issues, such as habitat loss and fragmentation, pollution, invasive species and wildlife harvesting, to name a few. On top of these well-known challenges, others have emerged. Over the last half century, these have included the impact of halogenated pesticides and defoliants, acid rain from coal-fired electricity generation, ecological impacts of biofuel production and atmospheric releases of ozone-depleting chemicals. In more recent times, concerns have emerged around microplastics and exploitation of the Arctic, although some changes also bring opportunities for conservation, such as using mobile phones to collect data. New and emerging issues tend to make policy and practice more difficult. They add to an already challenging agenda, and often require a response when knowledge of the problem is limited.

Emerging from the relatively new field of “futures” studies, horizon scanning is still developing as a method. By crowdsourcing information and drawing on communities of practice to sort, verify and analyse that information, horizon scanning offers an efficient way to look for early indications of poorly recognised threats and opportunities.¹ It aims to minimise surprises by foreseeing these threats and opportunities, enabling policy-makers and researchers to respond quickly to developing problems. Horizon scanning is an

approach primarily used to retrieve, sort and organise information from different sectors that is relevant to the question at hand, in a similar process to intelligence gathering. It can also include varying degrees of analysis, interpretation and prioritisation, but deciding which issues to act on, and how to act on them, typically takes place after the horizon scanning, and is assisted by other “futures” tools, such as visioning, causal layered analysis, scenario planning and backcasting.² Recent frameworks have also been developed to link different futures tools, such as horizon scanning and scenario planning, together.³

Horizon-scanning outputs come in a wide range of forms. Some broadly describe a single trend that cuts across different parts of society, such as the rise of big data, or the future of a general area of interest, such as “Environmental Sustainability and Competitiveness”.⁴ These outputs are usually aligned with more general foresight programmes. Other exercises look at a set of more specific potential threats, such as invasive species that may arrive in the UK and threaten biodiversity,⁵ and compare them in an approach similar to risk assessment. For the last 10 years, conservation scientists have run annual horizon scans to identify emerging issues with the potential to impact global conservation.⁶ A similar approach has also been used to identify important scientific questions that, if answered, would help guide conservation practice and policy.⁷

As with any policy advisory work, there is always a risk that useful information is gathered but not followed up, as decisions are often driven by other, usually non-scientific, factors. This risk may be higher with unsolicited scans (grassroots scans produced by a community of practitioners, researchers or academics) rather than solicited scans (called for by policy- and decision-makers). It can be unclear where the responsibility lies for integrating outputs into policy-making, and uptake depends on the organisational culture at the time.⁸ Schultz pointed to a conceptual contradiction between evidence-based policy and horizon scanning, where the latter searches for issues that may not be fully supported by a definitive body of evidence.⁹ A more optimistic perspective is that horizon scanning needs to be embedded in a broader strategic foresight framework, to increase the likelihood that findings are translated into practice.¹⁰ As mentioned

above, horizon scanning *identifies* emerging and novel threats and opportunities as a first step, but other foresight tools serve different purposes along the pathway to adopting appropriate policy. These other foresight tools are not explicitly covered in this chapter, but we provide an example, *The Antarctic Science Scan and Roadmap Challenges Exercise*, of a hybrid horizon scanning activity where an accompanying road map was also produced to outline actionable recommendations (Box 2).

In this chapter, we introduce both general and specific approaches to horizon scanning, outline some ways of achieving and measuring impact, and explore how horizon scanning may evolve in the future.

2. Approaches to Horizon Scanning




Figure 1: General framework for horizon scanning, reflecting the key steps in the procedure (ovals), inputs and products (rounded rectangles), key outputs (rectangles), actors and end users (triangles), and activities and methods (floating text). Process adapted from Amanatidou et al.¹¹

“Exploratory horizon scanning” identifies novel issues by searching for the first “signals” of change across a wide range of sources (such as an early scientific paper describing a potentially impactful new technology). “Issue-centred scanning” monitors issues that have already been identified by searching for additional signals that confirm or deny that the issue is truly emerging.¹² Signals can be organised into clusters (multiple pieces of information) that can either contribute to the evidence base around pre-identified issues, or form a long list of

novel issues that are potentially emerging (Figure 1). The long list of issues can be further analysed and prioritised into a shortlist using methods detailed below. Some horizon scanning exercises take further steps to make the output more useful for the end user—for example, by assessing the policy relevance of the issues or the feasibility of addressing them, and by identifying those that warrant ongoing monitoring.¹³

There is a range of different ways to carry out horizon scanning; we introduce the main stages and provide some specific examples in the boxed texts and Table 1. Because our definition of horizon scanning concentrates largely on information retrieval, sorting and, to some extent, analysis and prioritisation, we focus here on methods that facilitate these activities.

Table 1: Approaches to horizon scanning (some activities and examples overlap)

Approach	Examples
Manual search of an invited expert group with Delphi-style prioritisation	Global conservation, ¹⁴ Antarctic science, ¹⁵ bioengineering, ¹⁶ Mediterranean conservation ¹⁷
Manual search of a large crowd-sourced group (open call) with Delphi-style prioritisation (invited)	Future of the Illegal Wildlife Trade ¹⁸
Automated open-source search and manual analysis/prioritisation (usually by a community of experts)	IBIS, ¹⁹ Global Disease Detection Program (Centers for Disease Control and Prevention, www.cdc.gov/globalhealth/healthprotection/gdd/index.html), HealthMap (www.healthmap.org/en/), ProMed (www.promedmail.org/)
Advanced text analytics to identify emerging issues and research areas (e.g. sentiment analysis, machine learning)	FUSE Program (www.iarpa.gov/index.php/research-programs/fuse), Meta (https://meta.org/), X risk database (terra.cser.ac.uk)
Manual searches within an organisation (by employees, interns or volunteers), results tagged and catalogued in a database	US Forest Service, ²⁰ UK Department for Environment, Food and Rural Affairs ²¹

Approach	Examples
Comprehensive programme including scanning, sentiment analysis, scenario planning; manual and automated)	Singapore's Centre for Strategic Futures (www.csf.gov.sg/), partnered with the Risk Assessment and Horizon Scanning Programme Office
Expert opinion (voting, survey)	Global Risks Report 2019 ²²
Regular meeting of a cross-disciplinary horizon-scanning group to discuss emerging issues and build database	Australasian Joint Agencies Scanning Network (www.ajasn.com.au/), Human Animal Infections and Risk Surveillance group (www.gov.uk/government/collections/human-animal-infections-and-risk-surveillance-group-hairs#risk-assessments-and-process)

2.1. Scoping

Like any major project, horizon scans need to be scoped and clear guidelines developed to assist scanners. A comprehensive scoping exercise addresses the following questions.

- What is the guiding question that defines what you want to know?
- How broadly or narrowly defined is the field of interest?
- What are the key drivers of change and activities in the field?
It is common to organise thinking around a STEEP (Social, Technological, Economic, Environmental and Political factors) framework.
- What is the spatial scope? For instance, are you seeking issues with global or more localised impact?
- How far into the future should scanners be projecting?
- Who should be involved?
- Who are the potential end users?

Many of these considerations will be constrained by the resources available and the needs of the end user, but tools such as stakeholder analysis,²³ domain mapping²⁴ and issues trees²⁵ can be useful. Scoping

exercises may also involve some pilot scanning to get a feel for how well-defined the task is. For example, preliminary scanning in a US Forest Service project that aimed to identify emerging issues that could affect forests and forestry in the future revealed that “natural resources and the environment” was too broad a topic for their exercise. Instead, it was narrowed to “forests”.²⁶

Horizon scans that rely heavily on people rather than computers to do the scanning reflect the biases of those participants. A well-structured procedure for obtaining judgements from participants (e.g. Figure 2) will go a long way to mitigating psychological biases,²⁷ but in order to capture a broad array of perspectives, involving a diverse group of people to identify and prioritise candidate issues is critical. A cognitively diverse group—comprising individuals who think differently—is thought to maximise collective wisdom and objectivity.²⁸ A good proxy for cognitive diversity is demographic diversity. Achieving demographic diversity can be challenging in practice. For example, there may be language barriers to overcome, and people with certain occupations (e.g. scholars) may be over-represented in horizon scans conducted by researchers. Inviting contributions from further afield, both geographically and from outside immediate peer circles, broadens the scope of issues considered. This might be achieved by putting out an open call for issues online and advertising it through relevant websites and email lists,²⁹ or posting a call for ideas on social media.

2.2. Gathering inputs

Inputs to a scan can either be gathered manually (by people) or with the aid of automated software, which is then (usually) analysed by people. Manual scanning typically involves a group of people monitoring current research and relevant trends (e.g. technology trends, disease trends or population trends) via desktop searches, attending conferences and consulting other people in their networks. Information can be manually scanned in news articles, social media, publications, grey literature and other output of relevant organisations (such as models and projections). This is typically the first step in a “Delphi-style” method that then goes on to analyse and prioritise candidate issues in a structured approach, usually

involving one or more expert workshops (see Boxes 1 and 2 for examples and further descriptions of the procedure). Scanners could be provided with guidelines by a facilitator to direct their search, including suggestions of where to look. Manual methods have the advantage of accessing content that may not exist online (e.g. grey literature or unpublished research), or content that may be difficult to locate in the absence of known keywords to direct database and online searches. The downside of manual methods is that they are labour-intensive and may be exposed to the biases of the searcher, as they are less systematic.

Box 1: A Delphi-style method for horizon scanning in conservation.




Figure 2: The Delphi-style horizon-scanning approach often used in conservation.³⁰ Figure reproduced from Wintle et al.,³¹ published under the Creative Commons Attribution 4.0 Licence.

With its foundations in the Delphi Method,³² this structured approach (Figure 3.2) was first applied in horizon scanning for conservation by Sutherland et al.³³ There are now several variants. The key features that make this approach “Delphi-style” are iteration (issues are submitted, scored, discussed and scored again) and anonymity of submissions and scoring. Typically, about 25 conservation experts from around the world participate in the following procedure. Over the course of several months, participants independently scan material from a variety of sources (e.g. papers, reports, websites, conferences) looking for issues (threats or opportunities) that are relatively novel, but

that we should start planning for. Over email, each participant anonymously submits short summaries of two to five issues they have selected as the best “horizon-scanning” candidates, defined as reflecting a combination of novelty, plausibility and potential future impact on global conservation. The facilitator compiles the issue summaries and circulates them back to the group, who anonymously score each issue in terms of its suitability as a “horizon-scanning” item (using the definition above). A shortlist of the top-scoring issues, containing perhaps twice the total number sought, is recirculated back to participants. Each participant is assigned approximately five issues (not their own) to investigate further, gathering further evidence to support or oppose the issues’ suitability. This means each issue will be cross-examined by at least two to three people. These five issues are usually assigned to people who are *not* considered experts in that subject matter, in the hope that they will have fewer preconceptions about the issue and that the experts will add their knowledge anyway. The whole group then meets at a workshop and systematically discusses each of the shortlisted issues (e.g. to consider new perspectives, relevant research, and whether the issue is genuinely novel or just a repackaging of an old issue). The issues are kept anonymous to reduce biases and allow for an open discussion. After the discussion, participants individually score the issues a second time. The top-scoring 15 are redrafted by one of the other group members and published each year in *Trends in Ecology & Evolution*.³⁴

Box 2: Antarctic science scan and Roadmap Challenges project.

The international Antarctic community came together to horizon scan the highest priority scientific questions that researchers should aspire to answer in the next two decades and beyond. The approach included online submission of questions from the science research community, followed by a subset of 75 representatives (by nomination and voting) attending a workshop. At the workshop, approximately 1000 submitted questions were winnowed down to the 80 most important through methodical debate, discussion, revision and elimination by voting. All information used, including the 1000 submitted questions, was made publicly available in a database at a horizon scan website.³⁵ The horizon scan was followed by the Antarctic Roadmap Challenges project that was designed to delineate the critical requirements for delivering the highest priority research identified. The project addressed the challenges of enabling technologies, facilitating access to the region, providing logistics and infrastructure and capitalising on international cooperation. The process uniquely brought together scientists, research funders and those that provide the logistics for field research in the Antarctic. Online surveys of the community were conducted to identify the highest priority technological needs, and to assess the feasibility (time to development) and cost of these requirements. Sixty experts were assembled at a workshop to consider a series of topic-specific summary papers submitted by a range of Antarctic communities, survey results and summaries from the horizon scan, as well as existing documents addressing future Antarctic science directions, technologies and logistics requirements.³⁶

Computer-assisted scanning is increasingly used for automating the process of gathering a vast quantity of inputs, often crowdsourced and usually from the internet.³⁷ Several such tools are now used in agriculture and health biosecurity to provide early detection of disease outbreaks (see Table 1 and Box 3 for examples).³⁸ Early online information, such as a tweet about a Tasmanian devil with a tumour on its face, or a YouTube video about a new device for targeting an invasive species, although unverified to begin with, may be critical

for establishing the first in a series of signals that suggests a new or emerging threat.³⁹ Information on the internet can be retrieved in a number of ways. Keywords can be inserted into whole web search engines and/or particular websites can be targeted in more depth (e.g. Twitter can be searched using search terms, handles and hashtags). Research, news and current affairs can also be accessed via the RSS feeds of particular news and science sites, or by email and subscription to social media and blogs. Online data are often retrieved with the help of web scraping (accessing and storing particular web pages) and web crawling (accessing and storing links, and links of links from that page).⁴⁰ With the recent increase in “fake news”, web searches require some form of quality control and vetting of sources: a process that can also be useful for *exposing* fake news. Large volumes of text scraped from the web, articles, patents, reports and other publications can be mined and filtered for potential relevance using automated software, such as machine learning algorithms.

Automated scanning is fast, systematic and comprehensive in its scope, but often relies on people—sometimes experts—to screen, review, and perhaps investigate all reports before on-posting or incorporating them.⁴¹ For tools that scan across a wide range of topics, and those that use ongoing surveillance, this can be onerous and time-consuming. There are three other notable challenges to relying on online content for horizon scanning. First, material needs to already be posted on the web, and there may be a delay before an event, such as an invasive species incursion, is reported online. The second is that useful content is not always publicly available, as it can lie behind pay walls, be stored on intranets (e.g. grey literature), or secured because it is commercially, politically or personally sensitive. The third challenge is that most methods for obtaining online content rely on using the right keywords, which requires some idea of what you are looking for.

2.3. Sorting, cataloguing and clustering

Tagging and cataloguing content derived from both manual and automated scans (e.g. by relevance, credibility, source type, sectoral origin)⁴² occurs concurrently with input gathering by scanners. Content

can be further reorganised and vetted at a later stage. During this process, new search terms to direct further scanning can be generated, or existing search terms refined. Content can be organised according to a framework that also considers the level of response required and the strength of the evidence, which can help prioritise risks and other identified issues at a later stage.⁴³ Clustering methods, such as network analysis,⁴⁴ are useful for capturing cross-cutting issues that affect a number of topics of interest.

2.4. Analysing and prioritising

At this stage, a long list of issues will have been compiled, with some more suitable to the project aims than others. This can be an opportune time to reiterate objectives. Do you seek issues that most have not heard of? Do you intend to identify broad, developing topics or very specific developments (for example, the “increase in hydropower” versus “fragmentation effects of hydro-power in the Andean Amazon”)? Are you interested in issues likely to arise soon or events that have a smaller probability of playing out in the long-term future? Does the output need to be useful to policy-makers? Many exercises, especially those with follow-up plans, aim to prioritise a select number of “most suitable” issues, and the precise manner in which such prioritisation decisions are made makes a real difference to the quality of the output.⁴⁵ Our experience with exercises that aim to identify novel issues is that participants gravitate towards well-known, although important, issues. Avoiding this requires strong chairing and a group that accepts the objective. To help overcome the problem, each participant can be asked whether they have heard of each issue, so that well-known topics can be excluded from the shortlist.

Box 3: Online horizon scanning: Intelligence-gathering for biosecurity

The International Biosecurity Intelligence System (IBIS) is a generic web-based application that focuses on animal, plant and marine health, and provides continuing surveillance of emerging pests and diseases, including environmental ones.⁴⁶ It also detects other environmental issues, such as harmful algal blooms. It

is open source, in that it gathers articles from regular feeds of trusted sources (e.g. industry news, research) and publicly available online material, like news reports, blogs, published literature and Twitter feeds. Searches can be directed by broadly relevant keywords, such as “disease” or “outbreak” or “dead”, in addition to specific diseases of concern (e.g. “oyster herpes virus”). Articles can also be manually submitted by registered users to the application directly. A large expert community—the registered users, who are self-selected and approved by the administrator—then filter the articles, promoting those that they deem important and relevant to the home page, and demoting those that appear to be irrelevant or junk. Automated tools also assist with filtering (e.g. with machine learning and network cluster analysis), but as machine learning is still in its infancy, its use is limited to disease outbreaks from trusted sources. Items classified as junk by people are retained in a database to help the system’s artificial intelligence (AI) algorithms learn. The broader user community (anyone who signs up online) is alerted to items that have been flagged by the registered users as important, via a daily email new digest. IBIS is also “open analysis”, meaning that analysis of the publicly available information is performed openly by registered users. They can create or contribute to an emerging/ongoing issues dashboard that features a window for adding content, a Delphi-based forecasting section, links to related reports, share functions, comments and a map showing the location of events of interest (e.g. an outbreak). Registered users can also conduct their own searches and use integrated analytical tools to construct intelligence reports. IBIS has been effective for guiding policies and active risk management decisions for the Australian Government since 2006. The system may produce up to five Intel briefs a week on major issues affecting biosecurity and trade, allowing the government to respond to threats much faster than before. For instance, the system picked up a report of oyster herpes virus from a UK farm, which had previously purchased used aquaculture equipment from a disease-stricken oyster farm in France. Intelligence from IBIS revealed that businesses that had been closed down by the disease had been liquidating their

equipment and selling to other countries. In response to this, the Australian Government changed its biosecurity policy to decontaminate all used aquaculture equipment on arrival.⁴⁷

Within a manual Delphi-style approach (described in Boxes 1 and 2), issues are prioritised through an iterative scoring or voting process, usually facilitated online or in a workshop with a group of experts. The goal is to reduce a pool of potential horizon-scanning items or ideas to a smaller subset. The number of items, or issues, covered in the final list can vary, but tends to reflect around 10–30% of the initial items put forward.⁴⁸ As a point of comparison, the horizon scans described in Box 1 describe 15 issues annually, while the Antarctic hybrid horizon scan identified 80 shorter, priority scientific questions (Box 2). The final number may be constrained by how many the end user can realistically give their attention to (for a busy policy-maker, this may only be 15–20 half-page summaries), but is also driven by the number of (in)appropriate issues submitted. The main purpose of prioritisation is to remove issues that do not satisfy the selection criteria (novelty, plausibility, potential impact) and select those that are the most urgent or time sensitive. Prioritisation of issues will inevitably involve trade-offs, especially where different group members have different perspectives. Because individuals' diverging opinions can be masked in aggregated scores, analysing interrater concordance (e.g. with Kendall's *W*) affords insights into the level of agreement between contributors. In a diverse group, we would expect a wide variety of viewpoints to be voiced, but a core of shared opinions is often discernible.⁴⁹

Items identified in a computerised scan (e.g. articles returned from a keyword search) are also prioritised by groups of people with varying levels of content expertise. People may be employed to sort through material, such as in governmental horizon-scanning programmes like in Singapore, or they may volunteer to do so because they are interested in the output, such as a farmer or epidemiologist concerned with news of disease outbreaks. Initially, items are sorted according to their relevance to the scanning aims (often done in the initial tagging/sorting process). Irrelevant items are discarded or moved to low priority. A second form of prioritisation involves flagging issues or topics that are particularly

noteworthy.⁵⁰ This can be because signals have grown stronger (more evidence is gathered to suggest an issue is becoming a threat or presenting an opportunity for action),⁵¹ or it might be because the potential consequences are so severe that the issue warrants immediate attention, even when evidence is limited or the probability is low (“wild cards”).

2.5. Using the output

The previous step described prioritisation *within* the horizon scan to reduce a candidate set of issues. In that step, issues are ideally not judged according to importance, but rather according to less-subjective criteria, such as the likelihood of occurring or exceeding some threshold within a given timeframe. Prioritising which issues are the most important, and therefore should be acted on, is a different goal, and might be decided through follow-up, explicitly values-driven exercises involving representatives from government or relevant organisations.⁵²

Bringing together a cross-section of policy-makers in a follow-up exercise can be useful, not only to identify those issues that require further monitoring or evidence before being acted on, but also to encourage prioritisation of cross-organisational issues, knowledge sharing, and collaborative development of policy. Ideally, feasibility assessments of the options available would be included (as carried out in the extension of the recent Antarctic scan, Box 2).

2.6. Evaluating the process

Assessing the success of horizon scans in identifying emerging issues is challenging, and has rarely been attempted. However, a recent review by Sutherland et al. examined the first of the annual global conservation scans described in Box 1⁵³ to consider how the issues identified in 2009 had developed.⁵⁴ This was assessed using several approaches: a mini-review was carried out for each topic; the trajectory of the number of articles in the scientific literature and news media that mentioned each topic in the years before and after their identification was examined; and a Delphi-style scoring process was used to assess each topic's

change in importance. This showed that five of the 15 topics, including microplastic pollution, synthetic meat and environmental applications of mobile-sensing technology, appeared to have shown increased salience and effects. The development of six topics was considered moderate, three had not emerged and the effects of one topic were considered low.

As part of the same exercise, 12 global conservation organisations were questioned in 2010 about their awareness of—and current and anticipated involvement in—each of the topics identified in 2009.⁵⁵ This survey was repeated in 2018.⁵⁶ Awareness of all topics had increased, with the largest increases associated with micro-plastic pollution and synthetic meat; the change in organisational involvement was highest for microplastics and mobile-sensing technology. Perhaps the most surprising result was the number that had not heard of what are now mainstream issues: 77% for microplastics, 54% for synthetic meat and 31% for the use of mobile sensing technology. A decade ago the idea of collecting environmental data using phones was cutting-edge.

Thus, efforts have begun to examine the development of previously identified horizon-scan topics, but further research into the impact of horizon scans, and a consideration of issues that may have been “missed” (not identified but subsequently emerged as important) is needed.

3. Making a Difference With Horizon Scanning

Gauging the extent to which horizon-scanning outputs inform policy, future research directions and resource investments is not always straightforward and no-one has yet tested the effectiveness of this process. In instances where the primary decision-making organisation uses horizon scanning internally to assist with deliberations (e.g. scans to set priorities for a government agency), actions can be mapped directly against outcomes. In these cases, implementing the actions indicates impact. In other cases, scans can be driven by a community outside of government to set agreed future directions that can then be used to persuade external resource allocators. Even in cases where policy appears to reflect issues flagged in a horizon scan, it is difficult to trace direct influence, as inputs from multiple sources are often blended

in final policy decisions without attribution. It also may take years for real-world impact to be realised. Nevertheless, there are ways in which uptake of horizon-scanning output can be encouraged.

As a starting point, horizon-scanning outputs can be matched to the organisations they are most relevant to. For example, policy-makers and practitioners can come together in a follow-up workshop to assess the importance of previously identified horizon-scanning issues for their organisation,⁵⁷ or the end user (e.g. policy-makers and practitioners) can be engaged in the horizon scan from the outset, as in a recent scan of research priorities for protected areas.⁵⁸ Similarly, horizon-scanning networks involving representatives from a range of government agencies, such as the Australasian Joint Agencies Scanning Network, or the UK Human Animal Infections and Risk Surveillance group, provide an ongoing forum for sharing information on new and emerging issues that potentially impact different departments and organisations. Regular meetings and reports are used to deliver this information to policy-makers in a timely way.⁵⁹

In-depth follow-up analyses of horizon-scanning issues may also help policy-makers decide which to target first. A formal risk analysis of likelihood and consequences might be most appropriate for horizon-scanning outputs that compare similarly well-defined issues: for example, comparing one invasive species with another.⁶⁰ It may be more challenging if some of the issues in the candidate set are more coarse-grained than others (e.g. comparing ocean warming with a specific emerging fungal disease in some snakes). Nonetheless, risk-based prioritisation at least offers a framework for comparing and forecasting issues⁶¹ and for formally considering the strength of evidence for each.⁶²

Simply making horizon-scanning outputs known and available to policy-makers can encourage uptake. For example, issues identified in the annual global conservation scans (Box 1) have previously helped inform the UK's Natural Environment Research Council "Forward Look" strategic planning, but when a decision-maker does not already have a use in mind, it may be unclear what to do with horizon-scanning information without more context and guidance. Detecting signals and potential issues is only the first step towards making a difference: further intelligence about drivers is then needed to make

sense of that information. For example, incorporating available data and modelling on air traffic movements with disease surveillance data might have helped anticipate the emergence of West Nile Virus in the United States in 1999.⁶³ It is the combination of horizon scanning, intelligence analysis (which provides context for the scanning output) and forecasting the chances of events unfolding that is particularly helpful in translating scanning outputs for policy-making. This can be embedded in a workflow, parts of which can be automated, such as compiling the context, narrative and structure into a digestible report on an important emerging issue (e.g. Box 3). When forecasting and open-analysis communities are already in place, this workflow can be delivered efficiently.⁶⁴

Horizon scanning that occurs within organisations is evolving into a more effective tool than it was in its infancy. To facilitate the spread of best practice and reduce duplication, the UK has seen greater integration of horizon-scanning activities between different government departments, mainly in response to the Day Review.⁶⁵ The review recommended that horizon scans: (i) look beyond short-term agendas and parliamentary terms, (ii) focus on specific areas rather than broad topics in order to get more traction, (iii) are championed by those who use them in strategic decision-making, (iv) produce shorter outputs that are more likely to get the attention of senior decision-makers and (v) draw on inputs and existing analyses sourced from a “wide range of external institutions, academia, industry specialists and foreign governments”. The extent to which all these recommendations have been implemented is unclear, but they represent a clear set of guidelines to follow.

There are a range of other useful frameworks that can be used for translating scanning outputs including road mapping the steps towards acting on different horizon-scanning issues, for example, by assessing the feasibility and estimating how long it would take to develop technologies needed to address particular research gaps (Box 2). The Antarctic science scan and roadmap has since been used to set National Antarctic Program goals, judge the effectiveness and relevance of past investments, and guide investment of other national programmes.⁶⁶

4. Future Directions

We have discussed some of the pros and cons of different approaches to horizon scanning. If using a manual approach, structured methods are essential for mitigating the social and psychological biases that human horizon scanners are prone to, especially when forecasting complex and uncertain futures.⁶⁷ Although historically it has been criticised for confusing opinion with systematic prediction,⁶⁸ an iterative Delphi-style approach offers the advantage of drawing on the collective wisdom of a group, while affording individuals the opportunity to give private, anonymous judgements and revise them in light of information and reasoning provided by others. Compared with other elicitation approaches, such as traditional meetings, the Delphi method has also been found to improve forecasts and group judgements.⁶⁹ Manual approaches could be further improved by making the search for issues more systematic. Semi-automated tools and AI will increasingly enable searches uninfluenced by the biases of the manual searcher. For example, the Dutch “Metafore” horizon-scanning approach,⁷⁰ developed in The Hague Centre for Strategic Studies, already uses some automated approaches to systematically collect, parse, visualise and analyse a large “futures” database to complement their manual scanning.

Future horizon scanning and intelligence gathering may also see more open analysis, “citizen science” tools becoming adopted. While organisations are increasingly scanning open-source material (including news and social media), analyses typically remain internal.⁷¹ This means the analyses are generally not available to external users in an unfiltered form or in a timely way, which is particularly important for risks such as disease spread. Governments may opt for confidentiality for both security and political reasons. For instance, negative public perceptions about a suspected emerging herpes virus in oysters might affect trade, which might delay the disclosure of this information by authorities, in turn delaying risk mitigation actions.⁷² Intelligence tools (e.g. Box 3) that draw on a community of users to openly analyse news and information on potentially emerging issues offer more timely and transparent synthesis of information, which encourages more responsive decision-making. Examples of this can be seen in citizen science—for example, where citizen volunteers have helped analyse satellite-based

information in the wake of natural disasters to help emergency responders to rapidly assess the damage.⁷³ In conservation science, involving a broader community of people in a participatory process like open analysis may also increase public support for science and the environment.⁷⁴ More open-source and open-analysis scanning tools in the future will also likely be complemented with better information visualisation and GIS (e.g. including maps that indicate where a relevant incident has taken place),⁷⁵ not only for identifying novel issues and monitoring issues that are already emerging, but also for locating and efficiently communicating this information.

Advanced text analytics, including text mining, will also provide a more comprehensive and systematic approach to future horizon scans. Indeed, some horizon-scanning centres, such as Singapore's Risk Assessment and Horizon Scanning programme, already use sentiment analysis—a way of computationally categorising subjective opinions expressed in text (e.g. positive, negative or neutral)—to uncover themes in content retrieved by their analysts. Even more sophisticated text analytics are becoming available, for example, to explore areas of disagreement, conflict or debate in the text of scientific literature to help track developments in science and technology.⁷⁶ They can also be used to detect language expressing excitement about a new idea, and other indicators of emergence, such as the increasing use of acronyms and abbreviations indicating that the scientific community is beginning to accept a technology or idea as established.⁷⁷ Through automation, new computational tools have the capacity to process a massive volume of papers and patents to anticipate which developments will have the biggest impact in the future.⁷⁸ These advances in text analytics have recently led to the development of a particularly powerful open-source AI tool, Meta (<https://meta.org/>), to help biomedical scientists and funders to connect emerging research areas and potential collaborators and inform investment. Due to the complexity of emerging issues (and complex environment for machines to learn in), progress towards detecting issues effectively through AI is slow. Computers may never outperform humans at natural language understanding, but steady improvements in the technology, coupled with the speed at which text can be processed by computers—in a range of languages—will undoubtedly add value to horizon scanning in the future.

Acknowledgements

Bonnie Wintle was supported by the Centre for the Study of Existential Risk at the University of Cambridge and funded by the Templeton World Charity Foundation (TWCF). William Sutherland is funded by Arcadia. Geoff Grossel provided useful insights into online scanning methods and applications.

Notes and References

- 1 van Rij, V. 'Joint horizon scanning: Identifying common strategic choices and questions for knowledge', *Science and Public Policy*, 37 (2010): 7–18. <https://doi.org/10.3152/030234210x484801>; Sutherland, W. J. and H. J. Woodroof. 'The need for environmental horizon scanning', *Trends in Ecology & Evolution*, 24 (2009): 523–27. <https://doi.org/10.1016/j.tree.2009.04.008>.
- 2 E.g. Glenn, J. C. and T. J. Gordon (eds.). *Futures Research Methodology—Version 3.0*. The Millennium Project (2009); Inayatullah, S. 'Futures studies: Theories and methods', in F. Gutierrez Junquera (ed.), *There's a Future: Visions for a Better World*. Banco Bilbao Vizcaya Argentaria Open Mind (2013), pp. 36–66. Cook, C. N., S. Inayatullah, M. A. Burgman et al. 'Strategic foresight: How planning for the unpredictable can improve environmental decision-making', *Trends in Ecology & Evolution*, 29 (2014a): 531–41. <https://doi.org/10.1016/j.tree.2014.07.005>
- 3 Rowe, E., G. Wright and J. Derbyshire. 'Enhancing horizon scanning by utilizing pre-developed scenarios: Analysis of current practice and specification of a process improvement to aid the identification of important "weak signals"', *Technological Forecasting & Social Change*, 125 (2017): 224–35. <https://doi.org/10.1016/j.techfore.2017.08.001>
- 4 Policy Horizons Canada. *Leading the Pack or Lagging Behind: A Foresight Study on Environmental Sustainability and Competitiveness*. Government of Canada (2011).
- 5 Roy, H. E., J. Peyton, D. C. Aldridge et al. 'Horizon scanning for invasive alien species with the potential to threaten biodiversity in Great Britain', *Global Change Biology*, 20 (2014): 3859–71. <https://doi.org/10.1111/gcb.12603>
- 6 E.g. Sutherland, W. J., S. H. M. Butchart, B. Connor et al. 'A 2018 horizon scan of emerging issues for global conservation and biological diversity', *Trends in Ecology and Evolution*, 33 (2018): 47–58. <https://doi.org/10.1016/j.tree.2017.11.006>
- 7 E.g. Sutherland, W. J., W. M. Adams, R. B. Aronson et al. 'One hundred questions of importance to the conservation of global biological diversity', *Conservation Biology*, 23 (2009): 557–67. <https://doi.org/10.1111/j.1523-1739.2009.01212.x>
- 8 Delaney, K. and L. Osborne. 'Public sector horizon scanning-stocktake of the Australasian joint agencies scanning network', *Journal of Futures Studies*, 17 (2013): 55–70.
- 9 Schultz, W. L. 'The cultural contradictions of managing change: using horizon scanning in an evidence-based policy context', *Foresight*, 8 (2006): 3–12. <https://doi.org/10.1108/14636680610681996>

- 10 E.g. van Rij (2010); Cook et al. (2014a).
- 11 Amanatidou et al. (2012).
- 12 Amanatidou, E., M. Butter, V. Carabias et al 'On concepts and methods in horizon scanning: Lessons from initiating policy dialogues on emerging issues', *Science and Public Policy*, 39(2) (2012): 208–21. <https://doi.org/10.1093/scipol/scs017>
- 13 Sutherland, W. J., H. Allison, R. Aveling et al 'Enhancing the value of horizon scanning through collaborative review', *Oryx*, 46(3) (2012): 368–74. <https://doi.org/10.1017/s0030605311001724>
- 14 e.g. Sutherland et al. (2018).
- 15 E.g. Kennicutt, M. C., S. J. Chown, J. J. Cassano et al. 'A roadmap for Antarctic and Southern Ocean science for the next two decades and beyond', *Antarctic Science*, 27(1) (2015): 3–18. <https://doi.org/10.1017/S0954102014000674>
- 16 Wintle, B. C., C. R. Boehm, C. Rhodes et al. 'A transatlantic perspective on 20 emerging issues in biological engineering', *Elife*, 6 (2017). <https://doi.org/10.7554/elife.30247.e30247>
- 17 Kark, S., W. J. Sutherland, U. Shanas et al. 'Priority questions and horizon scanning for conservation: A comparative study', *PLOS ONE*, 11 (2016). <https://doi.org/10.1371/journal.pone.0145978>
- 18 Esmail, N., B. C. Wintle, M. Sas-Rolfes et al. 'Emerging illegal wildlife trade issues in 2018: a global horizon scan', *SocArXiv* (25 April 2019). <https://doi.org/10.31235/osf.io/b5azx>
- 19 Gossel, G., A. Lyon and M. Nunn. 'Open- source intelligence gathering and open-analysis intelligence for biosecurity', in A. P. Robinson, M. Burgman, M. Nunn and T. Walshe (eds.). *Invasive Species: Risk Assessment and Management*. Cambridge University Press (2017), pp.84–92. <https://doi.org/10.1017/9781139019606.005>
- 20 Hines, A., D. N. Bengston, M. J. Dockry and A. Cowart. 'Setting up a horizon scanning system: A US Federal Agency example', *World Futures Review*, 10(2) (2018): 136–51. <https://doi.org/10.1177/1946756717749613>
- 21 Garnett, K., F. A. Lickorish, S. A. Rocks, G. Prpich, A. A. Rathe and S. J. T. Pollard. 'Integrating horizon scanning and strategic risk prioritisation using a weight of evidence framework to inform policy decisions', *Science of The Total Environment*, 560–61 (2016): 82–91. <https://doi.org/10.1016/j.scitotenv.2016.04.040>
- 22 World Economic Forum. *The Global Risks Report 2019: 14th Edition*. WEF (2019).
- 23 Reed, M. S., A. Graves, N. Dandy et al. 'Who's in and why? A typology of stakeholder analysis methods for natural resource management', *Journal of Environmental Management*, 90 (2009): 1933–49. <https://doi.org/10.1016/j.jenvman.2009.01.001>
- 24 Lesley, M., J. Floyd and M. Oermann, M. 'Use of MindMapper software for research domain mapping', *Computers Informatics Nursing*, 20 (2002): 229–35.
- 25 Government Office for Science. *The Futures Toolkit, Edition 1.0* (2017).
- 26 Hines et al. (2018).
- 27 Burgman, M. *Trusting Judgements: How to Get the Best Out of Experts*. Cambridge University Press (2015). <https://doi.org/10.1017/CBO9781316282472>
- 28 Page, S. E. *The Difference: How the Power of Diversity Creates Better Groups, Firms, Schools, and Societies*. Princeton University Press (2008).

- 29 E.g. Esmail et al. (2019).
- 30 Sutherland, W. J., E. Fleishman, M. B. Mascia et al. 'Methods for collaboratively identifying research priorities and emerging issues in science and policy', *Methods in Ecology and Evolution*, 2 (2011): 238–47. <https://doi.org/10.1111/j.2041-210x.2010.00083.x>
- 31 Wintle et al. (2017).
- 32 Linstone, H. A. and M. Turoff. 'The Delphi Method: Techniques and applications', *Technometrics*, 18(3) (1976): 363. <https://doi.org/10.2307/1268751>; Mukherjee, N., J. Huge, W. J. Sutherland et al. 'The Delphi technique in ecology and biological conservation: Applications and guidelines', *Methods in Ecology and Evolution* (2015). <https://doi.org/10.1111/2041-210x.12387>
- 33 Sutherland, W. J., M. J. Bailey, I. P. Bainbridge et al. 'Future novel threats and opportunities facing UK biodiversity identified by horizon scanning', *Journal of Applied Ecology*, 45(3) (2007): 821–33. <https://doi.org/10.1111/j.1365-2664.2008.01474.x>
- 34 e.g. Sutherland et al. (2018).
- 35 Kennicutt, M. C., S. J. Chown, J. J. Cassano et al. 'Polar research: Six priorities for Antarctic science', *Nature*, 512 (2014): 23–25. <https://doi.org/10.1038/512023a>
- 36 Kennicutt et al. (2015).
- 37 Palomino, M. A., S. Bardsley, K. Bown et al. 'Web-based horizon scanning: Concepts and practice', *Foresight*, 14 (2012): 355–73. <https://doi.org/10.1108/14636681211269851>
- 38 Salathé, M., L. Bengtsson, T. J. Bodnar et al. 'Digital epidemiology', *PLoS Computational Biology*, 8(7) (2012): e1002616. <https://doi.org/10.1371/journal.pcbi.1002616>; Kluberg, S., S. Mekaru, D. McIver et al. 'Global capacity for emerging infectious disease detection: 1996–2014', *Emerging Infectious Diseases*, 22(10) (2016). <https://doi.org/10.3201/eid2210.151956>.
- 39 Grossel et al. (2017).
- 40 Hartley, D. M., N. P. Nelson, R. R. Arthur et al. 'An overview of internet biosurveillance', *Clinical Microbiology and Infection*, 19 (2013): 1006–13. <https://doi.org/10.1111/1469-0691.12273>
- 41 Lyon, A. 'Review of online systems for biosecurity intelligence-gathering and analysis', *ACERA Project 1003*(6) (2010): 1097–1109.
- 42 e.g. Garnett et al. (2016); Hines et al. (2018).
- 43 Garnett et al. (2016).
- 44 Konnola, T., A. Salo, C. Cagnin et al. 'Facing the future: Scanning, synthesizing and sense-making in horizon scanning', *Science and Public Policy*, 39 (2012): 222–31. <https://doi.org/10.1093/scipol/scs021>; Saritas, O. and I. Miles. 'Scan-4-Light: A searchlight function horizon scanning and trend monitoring project', *Foresight*, 14 (2012): 489–510. <https://doi.org/10.1108/14636681211284935>
- 45 Sutherland, W. J. and M. Burgman. 'Policy advice: use experts wisely', *Nature*, 526 (2015): 317–18. <https://doi.org/10.1038/526317a>
- 46 Grossel et al. (2017).
- 47 Burgman, M. 'Governance for effective policy-relevant scientific research: The shared governance model', *Asia & the Pacific Policy Studies*, 2 (2015a): 441–51. <https://doi.org/10.1002/app5.104>

- 48 e.g. Kennicutt et al. (2014); Parker, M., A. Acland, H. J. Armstrong et al. 'Identifying the science and technology dimensions of emerging public policy issues through horizon scanning', *PLoS ONE*, 9 (2014)., <https://doi.org/10.1371/journal.pone.0096480>; Kark et al. (2016); Wintle et al. (2017); Sutherland et al. (2018).
- 49 e.g. Wintle et al. (2017).
- 50 Gossel et al. (2017).
- 51 Cook, C. N., B. C. Wintle, S. C. Aldrich et al. 'Using strategic foresight to assess conservation opportunity', *Conservation Biology*, 28 (2014b): 1474–83. <https://doi.org/10.1111/cobi.12404>
- 52 e.g. Sutherland et al. (2012).
- 53 Sutherland, W. J., M. Clout, I. M. Co'te' et al. 'A horizon scan of global conservation issues for 2010', *Trends in Ecology and Evolution*, 25 (2010): 1–7. <https://doi.org/10.1016/j.tree.2009.10.003>
- 54 Sutherland, W. J., E. Fleishman, M. Clout et al. 'Ten years on: a review of the first global conservation horizon scan', *Trends in Ecology and Evolution*, 34 (2019): 139. <https://doi.org/10.1016/j.tree.2018.12.003>
- 55 Sutherland et al. (2012).
- 56 Sutherland et al. (2019).
- 57 Sutherland et al. (2019).
- 58 Dudley, N., M. Hockings, S. Stolton et al. 'Priorities for protected area research', *Parks*, 24 (2018): 35–50.
- 59 Delaney and Osborne (2013).
- 60 e.g. Roy et al. (2014).
- 61 Brookes, V. J., M. Hernandez-Jover, P. F. Black et al. 'Preparedness for emerging infectious diseases: Pathways from anticipation to action', *Epidemiology and Infection*, 143 (2014): 2043–58.
- 62 Garnett et al. (2016).
- 63 Garmendia, A. E., H. J. Van Kruiningen and R. A. French. 'The West Nile virus: its recent emergence in North America', *Microbes and Infection*, 3 (2001): 223–30. [https://doi.org/10.1016/s1286-4579\(01\)01374-0](https://doi.org/10.1016/s1286-4579(01)01374-0); Brookes et al. (2014).
- 64 Gossel et al. (2017).
- 65 Day, J. *Review of Cross-Government Horizon Scanning*. Cabinet Office (2013).
- 66 National Academies of Sciences Engineering and Medicine. *A Strategic Vision for NSF Investment in Antarctic and Southern Ocean Research*. Author (2015). www.nsf.gov/funding/pgm_summ.jsp?pims_id=505320&org=OPP&from=home
- 67 Hanea, A. M., M. McBride, M. A. Burgman et al. 'Investigate discuss estimate aggregate for structured expert judgement', *International Journal of Forecasting*, 33 (2017): 267–79. <https://doi.org/10.1016/j.ijforecast.2016.02.008>
- 68 Sackman, H. *Delphi Critique: Expert Opinion, Forecasting, and Group Process*. Lexington Books (1975).
- 69 Rowe, G. and G. Wright, G. 'Expert opinions in forecasting: Role of the Delphi technique', in J. S. Armstrong (ed.). *Principles of Forecasting: A Handbook for Researchers and Practitioners*. Kluwer Academic Publishers (2001), pp.125–44. https://doi.org/10.1007/978-0-306-47630-3_7

- 70 De Spiegeleire, S., F. van Duijne and E. Chivot. 'Towards Foresight 3.0: The HCSS Metafore Approach—A multilingual approach for exploring global foresights', in T. Daim, D. Chiavetta, A. Porter and O. Saritas (eds.). *Anticipating Future Innovation Pathways Through Large Data Analysis. Innovation, Technology, and Knowledge Management*. Springer (2016). https://doi.org/10.1007/978-3-319-39056-7_6
- 71 Grossel et al. (2017).
- 72 Grossel et al. (2017).
- 73 Yore, R. 'Here's how citizen scientists assisted with the disaster response in the Caribbean', *The Conversation* (18 October 2017).
- 74 Dickinson, J. L. and R. Bonney. *Citizen Science: Public Collaboration in Environmental Research*. Cornell University Press (2012). <https://doi.org/10.7591/9780801463952>
- 75 Dickinson, J. L., J. Shirk, D. Bonter et al. 'The current state of citizen science as a tool for ecological research and public engagement', *Frontiers in Ecology and the Environment*, 10 (2012): 291–97. <https://doi.org/10.1890/110236>
- 76 Babko-Malaya, O., A. Meyers, J. Pustejovsky et al. 'Modeling debate within a scientific community', in *2013 International Conference on Social Intelligence and Technology*. IEEE (2013), pp.57–63). <https://doi.org/10.1109/society.2013.18>
- 77 Reardon, S. 'Text-mining offers clues to success: US intelligence programme analyses language in patents and papers to identify next big technologies', *Nature News*, 509(410) (2014).
- 78 Murdick, D. 'Foresight and Understanding from Scientific Exposition (FUSE): Predicting technical emergence from scientific and patent literature', *IARPA*. US Office of the Director of National Intelligence (2015). www.iarpa.gov/images/files/programs/fuse/04-FUSE.pdf

